

ELECTRICAL

PRODUCT
CATALOGUE

2025





- Lumen 80lm / Watt
- Umur lampu hingga 8.000 Jam
- Dapat beroperasi pada tegangan 170-240V

NEW VEGA

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5W	435	100	55
7W	590	110	60
9W	770	115	60
12W	980	130	65
15W	1.180	135	70
18W	1.310	148	80
22W	1.900	173	95

Umur Lampu : Hingga 8.000 Jam
Fitting : E27
Voltase : 220-240V (50Hz)
CRI : >80

Color Temp : 6500K
Beam Angle : 180°
Faktor Daya : ≥0,5
Bahan Produk : PBT + PC + AL

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.



- Lumen 80lm / Watt
- Umur lampu hingga 8.000 Jam
- Dapat beroperasi pada tegangan 180-240V

CAPTIVA

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
3W	210	80	50
5W	360	100	55
9W	715	105	60
12W	840	118	60
18W	1.400	140	80
24W	1.523	165	95

Umur Lampu : Hingga 8.000 Jam
Fitting : E27
Voltase : 220-240V (50Hz)
CRI : >80

Color Temp : 6500K
Beam Angle : 120°
Faktor Daya : ≥0,9
Bahan Produk : PBT + PC + AL

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.



- Lumen 90lm / Watt
- Umur lampu hingga 10.000 Jam
- Dapat beroperasi pada tegangan 170-240V

MERCURY LED

TIPE	KONSUMSI DAYA	LUMEN	TINGGI (mm)	DIAMETER (mm)
30	18W	1.700	158	65
45	27W	2.700	215	90
60	36W	3.700	240	105
80	48W	4.500	280	120
120	72W	7.100	330	150

Umur Lampu : Hingga 10.000 Jam
Fitting : E27
Voltase : 220-240V (50/60Hz)
CRI : >80

Color Temp : 6500K
Beam Angle : 180°
Faktor Daya : ≥0,5
Bahan Produk : PBT + PC + AL

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.



WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5W	520	100	55
7W	680	110	60
9W	950	115	60
12W	1230	130	65
15W	1465	135	70
18W	1850	148	80
22W	2560	173	95

Umur Lampu : Hingga 8.000 Jam
Fitting : E27
Voltase : 220-240V
CRI : >80

Color Temp : 6500K
Beam Angle : 180°
Faktor Daya : ≥0,5
Bahan Produk : PBT + PC + AL

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.



WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
6W	440	95	50
9W	830	115	60
14W	1.280	122	70
18W	1.800	140	80
28W	2.600	165	100
36W	3.800	180	115
42W	4.280	200	124
50W	5.200	223	133

Umur Lampu : Hingga 8.000 Jam
Fitting : E27
Voltase : 220-240V (50Hz)
CRI : >80

Color Temp : 6500K
Beam Angle : 150°
Faktor Daya : ≥0,5
Bahan Produk : PBT + PC + AL

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.



- Lumen 90lm / Watt
- Umur lampu hingga 8.000 Jam
- Dapat beroperasi pada tegangan 170-240V

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
6W	440	95	50
9W	830	115	60
14W	1.280	122	70
18W	1.800	140	80
28W	2.600	165	100
36W	3.800	180	115
42W	4.280	200	124
50W	5.200	223	133

Umur Lampu : Hingga 8.000 Jam
Fitting : E27
Voltase : 220-240V (50Hz)
CRI : >80

Color Temp : 6500K
Beam Angle : 150°
Faktor Daya : ≥0,5
Bahan Produk : PBT + PC + AL

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.



- Umur lampu hingga 10.000 Jam
- Beroperasi pada tegangan DC 12V

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
3W	260	82	51
5W	600	91	62
9W	750	114	78
12W	1100	140	91

Umur Lampu	:	Hingga 10.000 Jam	Color Temp	:	6500K
Panjang Kabel	:	1.2 Meter	Beam Angle	:	180°
Voltase	:	DC 12V	Bahan Produk	:	PP
CRI	:	>70			

- Lampu LED DC 12V.
- Cahaya hidup secara maksimal.
- Desain elegan dengan Clear Cover.
- Ramah lingkungan, tidak mengandung merkuri / tanpa radiasi.



TIPE	KONSUMSI DAYA	LUMEN	TINGGI (mm)	DIAMETER (mm)
7	6W	420	100	32
12	9W	640	115	37
15	12W	905	132	42
18	15W	1.150	145	50

Umur Lampu	:	Hingga 10.000 Jam	Color Temp	:	6500K
Fitting	:	E27	Beam Angle	:	120°
Voltase	:	100-240V (50Hz)	Faktor Daya	:	≥0,9
CRI	:	>80	Bahan Produk	:	PBT + PC

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.



- Lumen 80lm / Watt
- Umur lampu hingga 8.000 Jam
- Dapat beroperasi pada tegangan 150-240V

LED BUAH NAGA

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
9W	680	112	60

Umur Lampu	: Hingga 8.000 Jam	Color Temp	: WW = 2700K
Fitting	: E27	Beam Angle	: 180°
Voltase	: 220-240V (50/60Hz)	Faktor Daya	: ≥0,5
CRI	: >80	Bahan Produk	: PBT + PC + AL
IP	: 54		

- Solusi pencahayaan untuk budidaya buah naga.
- Mempercepat hasil panen hingga 80%.
- Meningkatkan produktivitas buah dari 1 kali setahun menjadi setiap bulan atau meningkat 10 kali.
- Cahaya kuning (warm white) lampu yang menyerupai sinar matahari membantu mempercepat proses perkembangan bunga dan pertumbuhan buah naga di malam hari.
- IP54 yang tahan terhadap guyuran air hujan, cocok untuk penggunaan didalam ata diluar ruangan.
- Dapat beroperasi pada tegangan 150-240V.
- Housing dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.
- Frosted cover dari bahan PC (Polycarbonate) yang tahan terhadap benturan.



- Umur lampu hingga 8.000 Jam
- Dapat beroperasi pada tegangan 150-240V

NEW MAGIC

WATT	LUMEN	KAPASITAS BATERAI (mAh)	LAMA PENERANGAN DC (Jam)	TINGGI (mm)	DIAMETER (mm)
9W	830	1.800	5	135.8	66.6
12W	980	2.000	5	147.1	76.3
18W	1.470	2.400	5	160.9	85.2

Umur Lampu	:	Hingga 8.000 Jam	Color Temp	:	6500K
Fitting	:	E27	Beam Angle	:	180°
Voltase	:	220-240V (50/60Hz)	Faktor Daya	:	≥0,5
CRI	:	>80	Bahan Produk	:	PBT + PC + AL

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Dapat dicas dan dilengkapi proteksi kelebihan dan kekurangan cas.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.
- Ramah lingkungan, tidak mengandung merkuri / tanpa radiasi.



WATT	LUMEN	PRODUCT DIMENSION (mm)	CUTTING HOLE (mm)	EQUAL TO DOWNLIGHT
3W	189	Ø90 x 28	Ø75	2.5"
5W	300	Ø90 x 28	Ø75	2.5"
9W	544	Ø118 x 28	Ø90	3.5"
12W	840	Ø145 x 28	Ø115	4"
15W	952	Ø165 x 28	Ø135	5"
18W	1.120	Ø183 x 28	Ø155	6"

Umur Lampu : Hingga 10.000 Jam
Voltase : 220-240V (50/60Hz)
CRI : >70
Color Temp : 6500K

Beam Angle : 120°
Faktor Daya : ≥0,5
Bahan Produk : ABS + PS

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.



- Umur lampu hingga 10.000 Jam
- Dapat beroperasi pada tegangan 150-240V

DECOLED III OBR

WATT	LUMEN	PRODUCT DIMENSION (mm)	CUTTING HOLE (mm)	EQUAL TO DOWNLIGHT
10W	544	Ø118 x 28	Ø90	3.5"
24W	1.474	Ø210 x 28	Ø175	8"

Umur Lampu : Hingga 10.000 Jam
Voltase : 220-240V (50/60Hz)
CRI : >70
Color Temp : 6500K

Beam Angle : 120°
Faktor Daya : ≥0,5
Bahan Produk : ABS + PS

- Model lampu yang ringan dan elegan.
- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.



SLS AC 220V

TIPE LED	WATT / METER	LUMEN / METER	JUMLAH LED / METER	LEBAR PCB (mm)	CUTTABLE / METER	PANJANG / ROLL
SMD 2835	5W	140-200	36 LED	7mm	1	100 M
SMD 2835	6W	180-240	52 LED	7mm	1	100 M
SMD 2835	7W	450-550	120 LED	7mm	1	100 M

Voltase : AC 220V
CRI : >70
Bahan PCB : AL
Bahan Produk : PVC


Beam Angle : 120°
IP Rating : IP65
Color Temp : • 3000K
• 6000K
• Blue



LED Strip Light AC 220V Accessories

Tipe : SLS Power Cord 2835 7mm
AC 220V (4A) + End Cap
Voltase : AC 220V
Max. Current : 4A
Max. Load : 500W
Max. Length : 100M
IP : IP65

• Untuk pemakaian pada interior ruangan, hiasan tulisan di kafe, kabinet dapur, tangga, lemari, dll.




TL8 TUBE DOUBLE END

WATT	LUMEN	PRODUCT DIMENSION (mm)
9W	800	Ø28 x 600mm
18W	1.600	Ø28 x 1.200mm

Umur Lampu	:	Hingga 8.000 Jam	Beam Angle	:	310°
Voltase	:	220-240V (50/60Hz)	Faktor Daya	:	≥0,5
CRI	:	>70	Bahan Produk	:	PC Alloy + Glass
Color Temp	:	6500K			

- Umur lampu hingga 8.000 Jam.
- Model lampu yang ringan dan elegan.
- Dapat beroperasi pada tegangan 170-240V.

LED DESKLAMP



SYD L2018

Ø12 x 47 cm

PACKING : 60 Pcs (Giftbox)

LED : 20 SMD LED

SPEC : Removable Lithium Battery 3.7V 2000 mAh, OCOD Protection, Mikro USB Cable, Touch Sensor, Froster Cover, Dimmer.

3 Pilihan Warna (Biru, Pink, Hijau) ● ● ●

EMERGENCY LED

SHL L3501N

12.6 x 11.7 x 24 cm



PACKING : 24 Pcs (Giftbox)

LED : 36 LED

SPEC : Lead Acid Battery 4V
4000 mAh, Dimmer, Auto On,
OC Protection, AC Cable.



SHL L3507N

12.6 x 11.8 x 25.4 cm



PACKING : 24 Pcs (Giftbox)

LED : 40 SMD LED

SPEC : Lead Acid Battery 4V
4000 mAh, Dimmer, Auto On,
OC Protection, AC Cable,
Support 3 Pcs AA Battery.



SHL 3601

12.4 x 10.7 x 24 cm



PACKING : 30 Pcs (Giftbox)


LED : 36 SMD LED

SPEC : Lead Acid Battery 4V
1600 mAh, Dimmer, Auto On,
AC Cable, Support DC 12V.



SHL L3903 FROSTED

12.5 x 11.5 x 23.8 cm



PACKING : 24 Pcs (Giftbox)

LED : 40 SMD LED

SPEC : Lead Acid Battery 4V
2000 mAh, Dimmer,
Auto On, OC Protection,
AC Cable, Frosted Cover.

SHL L3903+

12.6 x 11.6 x 24 cm




PACKING : 24 Pcs (Giftbox)
LED : 40 SMD LED
SPEC : Lead Acid Battery 4V
 4000 mAh, Dimmer,
 Auto On, OC Protection,
 AC Cable.

SHL L3904 FROSTED

12 x 11.5 x 25.5 cm



PACKING : 24 Pcs (Giftbox)
LED : 40 SMD LED
SPEC : Lead Acid Battery 4V
 2000 mAh, Dimmer, Auto On,
 OC Protection, AC Cable,
 Support 3 Pcs AA Battery.



SHL L4003 FROSTED


Ø12.7 x 18.4 cm



PACKING : 40 Pcs (Giftbox)
LED : 40 SMD LED
SPEC : 3Pcs Lithium 3.7V
 4500 mAh, Dimmer,
 OC & OD Protection,
 Micro USB Cable.

SHL 6013 + USB

14 x 7 x 27.3 cm



PACKING : 20 Pcs (Giftbox)
LED : 30 + 30 SMD LED
SPEC : Lead Acid Battery 6V
 1600 mAh, PowerBank,
 Auto on, OC Protection,
 AC Cable, Support DC 12V.



SHL L8401 FROSTED

8.3 x 8.3 x 20.5 cm



PACKING : 30 Pcs (Giftbox)
LED : 84 SMD LED
SPEC : 2 Pcs Lithium 3.7V
 2400 mAh, Dimmer,
 OC & OD Protection,
 Micro USB Cable.

SQL L1051

8.5 x 5 x 50 cm



PACKING : 10 Pcs (Giftbox)
LED : 105 SMD LED
SPEC : Lead Acid Battery 4V
 6000 mAh, Auto On,
 OC Protection, AC Cable.



SQL 18L FROSTED

5.2 x 4.9 x 25.2 cm



PACKING : 40 Pcs (Giftbox)
LED : 18 SMD LED
SPEC : Lead Acid Battery 4V
 1600 mAh, Dimmer,
 Auto On, AC Cable,
 Frosted Cover.

SQL L1830

5.7 x 4.5 x 13.1 cm



PACKING : 80 Pcs (Giftbox)
LED : 18 SMD LED
SPEC : Lead Acid Battery 4V
 1500 mAh, AC Cable
 Frosted Cover.

SQL L2207

5.5 x 4.5 x 13 cm



PACKING : 80 Pcs (Giftbox)
LED : 14 + 8 SMD LED
SPEC : Lead Acid Battery 4V
 1200 mAh, Frosted
 Cover, Support Micro
 USB & DC 6V.

SQL L3001

5.8 x 4.5 x 17.9 cm



PACKING : 60 Pcs (Giftbox)
LED : 30 SMD LED
SPEC : Lead Acid Battery 4V
 2000 mAh, AC Cable,
 Frosted Cover.

SQL L4301N

7.4 x 5.5 x 22.1 cm



PACKING : 40 Pcs (Giftbox)
LED : SUPER LED 0.5W
 + 36 SMD LED
SPEC : Lead Acid Battery 4V
 2000 mAh, Auto on,
 AC Cable.



SQL L5601

9.7 x 6.7 x 26.1 cm



PACKING : 30 Pcs (Giftbox)
LED : 56 SMD LED
SPEC : 2 Pcs Lead Acid
 Battery 4V 4000 mAh,
 Auto On, AC Cable.

SHT L320

Ø4.8 x 15.6 cm



PACKING : 80 Pcs (Giftbox)
LED : 3W + 20 SMD LED
SPEC : Lithium Battery 3.7V 1500 mAh,
 USB Cable, OC OD Protection.

SHT L3W 10LED


Ø7.9 cm 15.3 x 8 x 9.5 cm



PACKING : 60 Pcs (Giftbox)
LED : 3W + 10 SMD LED
SPEC : Lead Acid Battery 4V 1000 mAh,
 AC Cable.

SHT L8W 20LED

Ø11.5 cm 20.2 x 11.5 x 12.5 cm



PACKING : 30 Pcs (Giftbox)
LED : 8W SUPER LED + 20 SMD LED
SPEC : Lead Acid Battery 4V 2000 mAh,
 Built In Cable.

SHT L1020 WHITE

Ø11.1 cm 19 x 11.2 x 12.3 cm



PACKING : 36 Pcs (Giftbox)
LED : 10W SUPER LED + 20 SMD LED
SPEC : Lead Acid Battery 4V 2000 mAh,
 AC Cable.

SHT L10W 30LED

Ø12.3 cm 21.5 x 12.3 x 14.3 cm



PACKING : 20 Pcs (Giftbox)
LED : 20W SUPER LED + 20 SMD LED
SPEC : Lead Acid Battery 4V 2000 mAh, AC Cable,
 OC OD Protection, Frosted Cover.

SHT L15W 12LED

Ø11.5 cm 19.7 x 11.5 x 14.4 cm



PACKING : 30 Pcs (Giftbox)
LED : 15W SUPER LED + 12 SMD LED
SPEC : Lead Acid Battery 4V 2000 mAh,
 Built In Cable, SOS.

SHT 20W 20LED

Ø12.3 cm 21.5 x 12.3 x 14.3 cm



PACKING : 16 Pcs (Giftbox)
LED : 20W SUPER LED + 20 SMD LED
SPEC : Lead Acid Battery 4V 2000 mAh, AC Cable, OC OD Protection, Frosted Cover.

SHT L22W 20LED

Ø12.9 cm 23.2 x 12.9 x 15.7 cm



PACKING : 20 Pcs (Giftbox)
LED : 22W SUPER LED + 20 SMD LED
SPEC : Lead Acid Battery 4V 4000 mAh, Built In Cable, Frosted Cover.

SHT 30W 20LED

Ø13.5 cm 23 x 13.5 x 18 cm



PACKING : 16 Pcs (Giftbox)
LED : 30W SUPER LED + 20 SMD LED
SPEC : Lead Acid Battery 4V 4000 mAh, AC Cable, OC OD Protection, Frosted Cover.

SHT 40W 15LED


Ø14.7 cm 24.6 x 14.7 x 16.1 cm



PACKING : 8 Pcs (Giftbox)
LED : 40W SUPER LED + 15 SMD LED
SPEC : Lead Acid Battery 4V 6000 mAh, AC Cable, SOS, PowerBank, OC OD Protection.

SHT L50W WHITE

Ø10.3 cm 21 x 10.7 x 14.5 cm



PACKING : 24 Pcs (Giftbox)
LED : 50W Electronic Spotlight LED
SPEC : 4 Pcs Lithium Battery 3.7V 10.000 mAh, Fast Charging Adaptor + Type C Cable, Blitz, UltraSpot, OC OD Protection.

SYT L015


Ø4.5 x 19.5 cm



PACKING : 120 Pcs (Blister)
LED : 0.5 SuperFlux LED + 4 SMD LED
SPEC : Lead Acid Battery 4V 600 mAh,
 Built In Plug.

SYT L017

Ø3 x 15 cm



PACKING : 180 Pcs (Blister)
LED : 0.5W SUPER LED
SPEC : Lithium Battery 3.7V 1200 mAh,
 Micro Cable.

SYT L101

Ø2.8 cm 13 x 5.5 cm



PACKING : 80 Pcs (Giftbox)
LED : 1W SUPER LED + 10 SMD LED
SPEC : Lead Acid Battery 4V 900 mAh,
 Frosted Cover, AC Cable.

SYT L103


Ø3 cm 14.5 x 5.7 cm



PACKING : 80 Pcs (Giftbox)
LED : 1W SUPER LED + 20 SMD LED
SPEC : Lead Acid Battery 4V 900 mAh,
 Forsted Cover, AC Cable.

SYT L105

Ø2.5 cm 12 x 2.8 x 4 cm



PACKING : 180 Pcs (Blister)
LED : 1W SUPER LED + 12 SMD LED
SPEC : Lithium Battery 3.7V 1500 mAh, Frosted Cover,
 OC Protection, Dimmer, Mikro USB Cable.

SYT L108

Ø3 cm 13 x 4 x 5 cm



PACKING : 80 Pcs (Giftbox)
LED : 1W SUPER LED + 11 SMD LED
SPEC : Lead Acid Battery 4V 900 mAh,
 Frosted Cover, AC Cable.

SYT L318

Ø3.5 cm 16.5 x 4 x 5 cm



PACKING : 80 Pcs (Giftbox)
LED : 3W SUPER LED + 18 SMD LED
SPEC : Lead Acid Battery 4V 1200 mAh,
 Frosted Cover, AC Cable.

SYT 2W 2COB


Ø5 x 18.5 cm



PACKING : 100 Pcs (Blister)
LED : 2W SUPER LED + 2W COB LED
SPEC : Lead Acid Battery 4V 400 mAh,
 Built In Plug.

SYT L2W 6LED

Ø5.6 x 15.9 cm



PACKING : 120 Pcs (Blister)
LED : 2W SUPER LED + 6 SMD LED
SPEC : Lead Acid Battery 4V 600 mAh,
 Built In Plug.

SYT L3W 3COB

Ø5.4 x 17.4 cm



PACKING : 80 Pcs (Blister)
LED : 3W SUPER LED + 3W COB LED
SPEC : Lead Acid Battery 4V 1200 mAh,
 Built In Plug.

SYT 4W 2COB


Ø6.5 x 20 cm



PACKING : 50 Pcs (Blister)
LED : 4W SUPER LED + 2W
 COB LED
SPEC : Lead Acid Battery 4V
 900 mAh, Built In Plug.

SYT L4W 3COB


Ø6.2 x 18.7 cm



PACKING : 120 Pcs (Blister)
LED : 4W SUPER LED + 3W
 COB LED
SPEC : Lead Acid Battery 4V
 900 mAh, Built In Plug.

SYT L506Z

Ø1.9 cm Ø2.7 x 13.4 cm



PACKING : 180 Pcs (Blister)
LED : 5W + 8 SMD LED
SPEC : Lithium 14500 Battery
 3.7V 1200 mAh,
 USB Type C, Zoomable.

SYH L053A

10 x 8 x 7.4 cm
Ø6.9 cm



PACKING : 60 Pcs (Giftbox)
LED : 5W
SPEC : Lead Acid Battery 4V
800 mAh, AC Cable.

SYH L083A

10.7 x 9 x 8.5 cm
Ø8.5 cm



PACKING : 60 Pcs (Giftbox)
LED : 8W
SPEC : Lead Acid Battery 4V
1200 mAh, AC Cable.

SYH L075L

7.5 x 7.1 x 5.5 cm
Ø5 cm



PACKING : 90 Pcs (Plastic Box)
LED : 7W + 3W LED Bulb
SPEC : Lithium Battery 3.7V
1800 mAh, Adaptor,
OC OD Protection.

SYH L105B/L106B

7.3 x 6.9 x 5.5 cm
Ø5 cm



BIMA

(WHITE/YELLOW)

PACKING : 100 Pcs (Plastic Box)
LED : 10W
SPEC : Lithium Battery 3.7V
1800 mAh, Adaptor,
OC OD Protection.

SYH L105C

6.3 x 4 x 4.2 cm
Ø1.8 cm



dengan fungsi

SENSOR GERAKAN

PACKING : 100 Pcs (Giftbox)
LED : 10W
SPEC : Lithium Battery 3.7V
1200 mAh, Motion Sensor,
SOS Function, USB Cable,
Red Light SOS.

SYH L125A

7.3 x 7.5 x 5.5 cm
Ø5 cm



PACKING : 100 Pcs (Plastic Box)
LED : 12W
SPEC : Lithium Battery 3.7V
1800 mAh, Adaptor,
Additional Yellow Cover,
OC OD Protection.

SYH LI25B

8.4 x 8 x 5 cm
Ø4.5 cm



PACKING : 90 Pcs (Plastic Box)
LED : 12W SUPER LED
SPEC : Lithium Battery 3.7V
1800 mAh, Adaptor,
Additional Yellow Cover,
OC OD Protection,
Dimmer.

SYH LI55C

8 x 7.2 x 5.1 cm
Ø5 cm



PACKING : 100 Pcs (Plastic Box)
LED : 15W SUPER LED
SPEC : Lithium Battery 3.7V
2000 mAh, Adaptor,
IP65 Rainproof,
OC OD Protection.

SYH LI55L

8.6 x 8.2 x 5.9 cm
Ø5.8 cm



BIMA

PACKING : 90 Pcs (Plastic Box)
LED : 15W + 3W LED Bulb
SPEC : Lithium Battery 3.7V
1800 mAh, Adaptor,
OC OD Protection,
SOS Function.

SYH LI55R/LI56R

10 x 9.3 x 8.4 cm
Ø8.3 cm



(WHITE/YELLOW)

PACKING : 40 Pcs (Plastic Box)
LED : 15W
SPEC : 2Pcs Lithium Battery 3.7V
3600 mAh, Adaptor,
OC OD Protection,
SOS & BLITZ, Dimmer.

SYH 20W-1

9 x 9 x 10 cm
Ø9.5 cm




BIMA

(WHITE)

PACKING : 30 Pcs (Plastic Box)
LED : 20W
SPEC : Lithium Battery 3.7V
4000 mAh, Adaptor,
OC OD Protection,
Battery Indicator, SOS,
Dimmer.

SYH L205A/L206A

10 x 8.4 x 8 cm
Ø7.9 cm




(WHITE/YELLOW)

PACKING : 40 Pcs (Plastic Box)
LED : 20W CREE LED
SPEC : LI-PO Battery 3.7V
8000 mAh, Dimmer, SOS,
Battery Indicator, Adaptor +
Micro USB Cable, OC OD
Protection.

SYH L255R/L256R

9.5 x 9.5 x 10.5 cm
Ø9.3 cm



(WHITE/YELLOW)

PACKING : 40 Pcs (Plastic Box)
LED : 25W
SPEC : 2 Pcs Lithium Battery 3.7V 4200 mAh, Dimmer, Adaptor, SOS, BLITZ, OC OD Protection.

SYH L30W-1 (BULB)

9.3 x 9.3 x 8.5 cm
Ø7.5 cm



(WHITE)

PACKING : 40 Pcs (Plastic Box)
LED : 30W + 3W LED BULB
SPEC : Lithium Battery 3.7V 4200 mAh, Adaptor, Dimmer, SOS, BLITZ, OC OD Protection.

SYH L305S/L306S

9.5 x 9.5 x 10.5 cm
Ø9.3 cm



(WHITE/YELLOW)

PACKING : 40 Pcs (Plastic Box)
LED : 30W + 3W LED Bulb
SPEC : 2 Pcs Lithium Battery 3.7V 4200 mAh, Dimmer, Adaptor, SOS, BLITZ, OC OD Protection.

SYH K305R/K306R

9.2 x 9.1 x 8.4 cm
Ø9 cm



(WHITE/YELLOW)

PACKING : 30 Pcs (Plastic Box)
LED : 30W
SPEC : 2 Pcs Lithium Battery 3.7V 4000 mAh, Adaptor, OC OD Protection, Waterproof 20M, IP68.

SYH L335R

9 x 8.4 x 8.4 cm
Ø7.9 cm



ASTRO

PACKING : 40 Pcs (Plastic Box)
LED : 33W CREE LED
SPEC : 2 Pcs Lithium Battery 3.7V 4800 mAh, Waterproof, Dimmer, SOS, BLITZ, OC OD Protection.

SYH L355R

9 x 8.4 x 8.4 cm
Ø7.9 cm



PACKING : 40 Pcs (Plastic Box)
LED : 35W CREE LED
SPEC : 2 Pcs Lithium Battery 3.7V 4800 mAh, Adaptor, Dimmer, SOS, BLITZ, OC OD Protection.

SYH L455E

10 x 8.5 x 8.5 cm
Ø7.5 cm



PACKING : 40 Pcs (Plastic Box)
LED : 45W Electronic
Spotlight LED
SPEC : 2 Pcs Lithium Battery
3.7V 5000 mAh, Dimmer,
Adaptor, Fast Charging,
OC OD Protection.

SYH L505R/L506R

10 x 10.2 x 10 cm
Ø9.3 cm



(WHITE/YELLOW)

PACKING : 40 Pcs (Plastic Box)
LED : 50W SUPER LED
SPEC : 3 Pcs Lithium Battery
3.7V 6000 mAh, Adaptor,
Waterproof, BLITZ,
Fast Charging,
OC OD Protection.

SYH L555R


10 x 10.2 x 10 cm
Ø9.3 cm



PACKING : 40 Pcs (Plastic Box)
LED : 55W SUPER LED
SPEC : 3 Pcs Lithium Battery
3.7V 6000 mAh, Dimmer
Adaptor, SOS, BLITZ,
Fast Charging,
OC OD Protection.

SYH L655A

9.7 x 9.6 x 9.7 cm
Ø9.4 cm



PACKING : 40 Pcs (Plastic Box)
LED : 65W Electronic
Spotlight LED
SPEC : 3 Pcs Lithium Battery 3.7V
12000 mAh, Adaptor,
OC OD Protection, SOS,
Dimmer, Fast Charging.

SYH L305R

6.6 x 9.5 x 8.5 cm
Ø5.7 cm



(WHITE)

PACKING : 80 Pcs (Plastic Box)
LED : 30W SUPER HIGH
POWER LED
SPEC : Lithium Battery 3.7V
4200 mAh, Fast Charging,
OC OD Protection, BLITZ,
Waterproof 30M, Adaptor,
Battery Indicator, IP68.

SYH L525R/L526R

8.8 x 9.1 x 9.1 cm
Ø7.8 cm



(WHITE/YELLOW)

PACKING : 40 Pcs (Plastic Box)
LED : 52W SUPER HIGH
POWER LED
SPEC : 2 Pcs Lithium Battery 3.7V
6000 mAh, Adaptor, BLITZ,
Dimmer, Battery Indicator,
Fast Charging, Tripod Hole,
Swimming Goggles,
Waterproof 30M, IP68,
OC OD Protection.

SYH L705R/L706R

10.5 x 10.9 x 10 cm
Ø9.7 cm



(WHITE/YELLOW)

PACKING : 40 Pcs (Plastic Box)
LED : 70W CREE LED EXTREME HIGH POWER
SPEC : 3 Pcs Lithium Battery 3.7V 10.000 mAh,
Dimmer, Adaptor, Fast Charging, Tripod Hole,
Battery Indicator, Swimming Goggles, IP68,
BLITZ , Waterproof 30M, OC OD Protection.

SYH L155Z

7 x 6.6 x 3.4 cm
Ø2.7 cm



PACKING : 120 Pcs (Plastic Box)
LED : 15W Laser LED + 8 SMD LED
SPEC : Lithium 14500 3.7V 1800 mAh, USB Type C,
BLITZ, Dimmer, Zoomable, Fast Charging,
6 SMD LED, 2 SMD LED (Strobo),
OC&DC Protection.

SYH T605Z

7.3 x 7.4 x 4.5 cm
Ø2.7 cm



PACKING : 100 Pcs (Plastic Box)
LED : 60W Laser LED
SPEC : Lithium 18650 4.2V 4000 mAh, USB Type C,
OC&DC Protection, BLITZ, Fast Charging,
Zoomable, IP20.

SYH L625Z

8.2 x 8 x 4.1 cm
Ø2.8 cm



PACKING : 90 Pcs (Plastic Box)
LED : 62W Laser LED + 10 SMD LED
SPEC : Lithium 18650 3.7V 3000 mAh, BLITZ,
USB Type C + Adaptor, OC&DC Protection,
Dimmer, Fast Charging, Zoomable,
8 SMD LED, 2 SMD LED (Strobo).
WARNA FISIK : Merah & Hijau.

SYH L685Z

9.9 x 8.2 x 6.2 cm
Ø3.7 cm



PACKING : 60 Pcs (Plastic Box)
LED : 68W Laser LED + 12 SMD LED
SPEC : 2 Pcs Lithium 18650 3.7V 6000 mAh, Dimmer, USB Type C + Adaptor, Zoomable, BLITZ, Fast Charging, OC&DC Protection, 10 SMD LED, 2 SMD LED (Strobo),
WARNA FISIK : Merah & Hijau.

SYH L725Z

8.2 x 8.1 x 4.3 cm
Ø2.6 cm



PACKING : 90 Pcs (Plastic Box)
LED : 72W Laser LED + 10 SMD LED
SPEC : 2 Pcs Lithium 18650 3.7V 4000 mAh, Zoomable, USB Type C + Adaptor, Fast Charging, OD&DC Protection, BLITZ, Dimmer, 8 SMD LED, 2 SMD LED (Strobo).
WARNA FISIK : Merah & Hijau.

SYH T755Z

7.2 x 9 x 5.5 cm
Ø3.7 cm



PACKING : 100 Pcs (Plastic Box)
LED : 75W Laser LED
SPEC : Lithium 18650 4.2V 6000 mAh, USB Type C, OC&DC Protection, BLITZ, Fast Charging, Zoomable, IP20.

SYH L855Z

10 x 8.2 x 6.1 cm
Ø3.7 cm



PACKING : 60 Pcs (Plastic Box)
LED : 85W Laser LED + 12 SMD LED
SPEC : 2 Pcs Lithium 18650 3.7V 8000 mAh, USB Type C + Adaptor, OC&DC Protection, BLITZ, Dimmer, Fast Charging, Zoomable, 10 SMD LED, 2 SMD LED (Strobo).
WARNA FISIK : Merah & Hijau.

PROTON



WATT	LUMEN	DIMENSI (mm)	STANDAR PROTEKSI	REKOMENDASI TIANG
50W	4.000	435 x 180 x 60	IP65	1.5"
100W	8.000	600 x 210 x 72		
150W	12.000	680 x 230 x 70		

Tersedia warna **Cool Daylight**

KOBRA



WATT	LUMEN	DIMENSI (mm)	STANDAR PROTEKSI	REKOMENDASI TIANG
50W	5.000	402 x 126.5 x 60	IP65	1.5"
100W	10.000	462 x 141.5 x 56		
150W	15.000	532 x 171 x 75		

Tersedia warna **Cool Daylight**

BROADWAY



SOLAR + SENSOR LED STREETLIGHT

Dilengkapi :




Sensor Gerak

- Saat sensor mendeteksi tidak ada gerakan, cahaya otomatis redup menjadi 50%, sehingga baterai bisa bertahan lebih lama.
- Saat sensor mendeteksi ada gerakan, cahaya otomatis terang 100%.



Sensor Cahaya

- Lampu otomatis hidup saat malam atau gelap.
- Lampu otomatis mati saat ada cahaya matahari dan proses pengisian daya baterai langsung.



WATT	LUMEN	DIMENSI (mm)	BATERAI LITHIUM (mAh)	DAYA TAHAN BATERAI	STANDAR PROTEKSI	REKOMENDASI TIANG
60W	3.900	485 x 210 x 70	8.000	±11 Jam	IP65	1.5"
90W	5.850	626 x 245 x 70	12.000			
120W	8.400	730 x 250 x 60	16.000			

LED STREETLIGHT

TOLLWAY



WATT	LUMEN	DIMENSI (mm)	STANDAR PROTEKSI	REKOMENDASI TIANG
50W	4.000	490 x 220 x 80	IP65	1.5"
100W	10.000	540 x 250 x 75		
150W	15.000	600 x 260 x 75		

Tersedia warna **Cool Daylight**



STREETLIGHT

SR501



LHE Max. 1x45W, E27
315 x 150 x 151 mm

SR503



70 / 80 / 125W
605 x 300 x 210 mm

SR 504



150 / 250 / 400W
883 x 436 x 316 mm



WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
3W	245	88	50
5W	450	100	55
7W	580	105	60
9W	725	105	60
12W	990	115	60
15W	1.080	130	70
18W	1.295	140	80

Umur Lampu	:	Hingga 8.000 Jam	Color Temp	:	6500K
Fitting	:	E27	Beam Angle	:	180°
Voltase	:	220-240V (50/60Hz)	Faktor Daya	:	≥0,5
CRI	:	>80	Bahan Produk	:	PBT + PC + AL

- Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 180 - 240V.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.



WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5W	385	100	50
10W	720	115	60
15W	1.200	126	70
20W	1.550	145	80
30W	2.015	170	100
40W	2.700	190	115
45W	3.300	215	125
55W	3.500	230	135

Umur Lampu	:	Hingga 8.000 Jam	Color Temp	:	6500K
Fitting	:	E27	Beam Angle	:	120°
Voltase	:	220-240V (50/60Hz)	Faktor Daya	:	≥0,5
CRI	:	>80	Bahan Produk	:	PBT + PC + AL

- Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 150 - 240V.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.

ARL 96

SPIDER

Lebar Jaring : 19.7 x 23.2 cm
Dimensi Produk : 22.5 x 56 cm

- 4 LED + 1 LED
- Steker Listrik Tanam
- Pengecasan Terpisah
- Baterai 600 mAh
- 2 Pilihan Warna (Biru, Pink)



ARL 194



Lebar Jaring : 20.5 x 24.8 cm
Dimensi Produk : 22.5 x 56 cm

MODE AUTO

- UV Light
- 3 LED
- Terdapatudukan untuk fungsi Mosquito Trap
- Pengecasan Kable USB
- Baterai 500 mAh



SOCKET CABLE

MSC 073 + 2M CABLE BLACK



- Dilengkapi Tombol ON / OFF
- Panjang Kabel 2 M
- Lampu Indikator
- Tersedia 3 Lubang

MSC 074 + 2M CABLE BLACK



- Dilengkapi Tombol ON / OFF
- Panjang Kabel 2 M
- Lampu Indikator
- Tersedia 4 Lubang

MSC 153 STOP KONTAK SAKLAR 3LB



- Saklar Individual
- Panjang Kabel 1.5 M
- Lampu Indikator
- Tersedia 3 Lubang

MSC 154 STOP KONTAK SAKLAR 3LB



- Saklar Individual
- Panjang Kabel 1.5 M
- Lampu Indikator
- Tersedia 4 Lubang

INSECT KILLER

MIK 02

20W

- LAMPU : UV LAMP 10W x2
- VOLTASE : 220-240V
- BAHAN : AL + ABS
- DIMENSI : 385 x 80 x 272 mm

40W

- LAMPU : UV LAMP 20W x2
- VOLTASE : 220-240V
- BAHAN : AL + ABS
- DIMENSI : 643 x 80 x 272 mm




MRL 61 SCORPIONS



- 1 LED
- Kabel Pengecasan AC
- Baterai 600 mAh

3 Pilihan Warna
(Biru, Pink, Hijau)



Dimensi Jaring : 20.5 x 27.8 cm

Dimensi Produk : 21 x 49 cm

MRN 76 FLASH



- 1 LED
- Kabel Pengecasan AC
- Baterai 500 mAh

2 Pilihan Warna
(Biru, Merah)



Dimensi Jaring : 22 x 26 cm

Dimensi Produk : 22.5 x 52.5 cm

MRN 62 ATHENA



- UV Light
- 4V 600 mAh
- Pengecasan menggunakan kabel USB Type C
- Terdapatudukan untuk fungsi Mosquito Trap

Dimensi Jaring : 19 x 21 cm

Dimensi Produk : 21 x 45 cm

MRN 63 PEGASUS



2 Pilihan Warna
(Biru, Putih)



- UV Light
- 3.7V 1200 mAh
- Pengecasan menggunakan kabel USB Type C
- Dapat diputar hingga 180° dan dapat diberdirikan untuk fungsi Mosquito Trap

Dimensi Jaring : 18 x 23 cm

Dimensi Produk : 20 x 49 cm

MRN 65 ZEUS



2 Pilihan Warna
(Biru, Pink)



- 4V 600 mAh
- Pengecasan dengan Steker Tanam

Dimensi Jaring : 18 x 23 cm

Dimensi Produk : 20 x 45 cm




Hyperlite®
CAPSULE LED

10*
WATT

910lm
COOL DAYLIGHT

ENERGI
Tingkat Hemat

SNI



- Lumen 80lm / Watt
- Umur lampu hingga 8.000 Jam
- Dapat beroperasi pada tegangan 170-240V

CAPSULE LED

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5W	380	99	50
7W	600	112	60
10W	910	121	70
14W	1.100	142	80
18W	1.550	170	100
26W	2.070	195	120

Umur Lampu	:	Hingga 8.000 Jam	Color Temp	:	6500K
Fitting	:	E27	Beam Angle	:	180°
Voltase	:	220-240V (50Hz)	Faktor Daya	:	≥0,5
CRI	:	>80	Bahan Produk	:	PP

- Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 170 - 240V.



Hyperlite®
GREEN

14*
WATT

LED BULB

1300 Lumen
Cool Daylight
Up to 8.000 Hours

*Watt yang tertera pada label adalah ±20%
(dipengaruhi oleh voltase listrik PLN yang digunakan)



- Lumen 80lm / Watt
- Umur lampu hingga 8.000 Jam
- Dapat beroperasi pada tegangan 150-240V

GREEN

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5W	345	100	50
7W	665	118	60
10W	925	133	70
14W	1.300	148	80
18W	1.700	175	100
26W	2.300	210	115

Umur Lampu	:	Hingga 8.000 Jam	Color Temp	:	6500K
Fitting	:	E27	Beam Angle	:	180°
Voltase	:	220-240V	Faktor Daya	:	≥0,5
CRI	:	>70	Bahan Produk	:	PP

- Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 150 - 240V.
- Cahaya langsung hidup secara maksimal.
- Hemat biaya pemeliharaan.



RED

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5W	345	100	50
7W	665	118	60
10W	925	133	70
14W	1.300	148	80
18W	1.700	175	100
26W	2.300	210	115

Umur Lampu	: Hingga 8.000 Jam	Color Temp	: 6500K
Fitting	: E27	Beam Angle	: 180°
Voltase	: 220-240V	Faktor Daya	: ≥0,5
CRI	: >70	Bahan Produk	: PP

- Lumen 80lm / Watt.
 - Umur lampu hingga 8.000 Jam.
 - Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 150 - 240V.
 - Cahaya langsung hidup secara maksimal.
 - Hemat biaya pemeliharaan.



YELLOW

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5W	345	100	50
7W	665	118	60
10W	925	133	70
14W	1.300	148	80
18W	1.700	175	100
26W	2.300	210	115

Umur Lampu	: Hingga 8.000 Jam	Color Temp	: 6500K
Fitting	: E27	Beam Angle	: 180°
Voltase	: 220-240V	Faktor Daya	: ≥0,5
CRI	: >70	Bahan Produk	: PP

- Lumen 80lm / Watt.
 - Umur lampu hingga 8.000 Jam.
 - Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 150 - 240V.
 - Cahaya langsung hidup secara maksimal.
 - Hemat biaya pemeliharaan.



- Umur lampu hingga 8.000 Jam
- Dapat beroperasi pada tegangan 170-240V

SATRIA

TIPE	KONSUMSI DAYA	LUMEN	TINGGI (mm)	DIAMETER (mm)
5	4W	296	100	50
10	5W	415	119	60
15	8W	629	133	70
20	9W	774	148	80
30	10W	872	178	100
40	16W	1.284	207	115

Umur Lampu	:	Hingga 8.000 Jam	Color Temp	:	6500K
Fitting	:	E27	Beam Angle	:	180°
Voltase	:	220-240V	Faktor Daya	:	≥0,9
CRI	:	>70	Bahan Produk	:	PP

- Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 170 - 240V.
- Cahaya langsung hidup secara maksimal.
- Hemat biaya pemeliharaan.



TIPE	KONSUMSI DAYA	LUMEN	TINGGI (mm)	DIAMETER (mm)
5	4W	296	100	50
10	5W	415	119	60
15	8W	629	133	70
20	9W	774	148	80
30	10W	872	178	100
40	16W	1.284	207	115

Umur Lampu	:	Hingga 8.000 Jam	Color Temp	:	6500K
Fitting	:	E27	Beam Angle	:	180°
Voltase	:	220-240V	Faktor Daya	:	≥0,9
CRI	:	>70	Bahan Produk	:	PP

- Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 170 - 240V.
- Cahaya langsung hidup secara maksimal.
- Hemat biaya pemeliharaan.



TIPE	KONSUMSI DAYA	LUMEN	TINGGI (mm)	DIAMETER (mm)
5	4W	265	88	45
10	5W	450	100	50
15	8W	630	118	60
20	9W	790	132	70
30	10W	840	148	80
40	16W	1.250	175	100

Umur Lampu	:	Hingga 8.000 Jam	Color Temp	:	6500K
Fitting	:	E27	Beam Angle	:	180°
Voltase	:	220-240V (50/60Hz)	Faktor Daya	:	≥0,9
CRI	:	>70	Bahan Produk	:	PP

- Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 170 - 240V.
- Cahaya langsung hidup secara maksimal.
- Hemat biaya pemeliharaan.

GESIT



TIPE	WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5	4W	265	88	45
10	5W	450	100	50
15	8W	630	118	60
20	9W	790	132	70
30	10W	840	148	80
40	16W	1.250	175	100

Umur Lampu	: Hingga 8.000 Jam	Color Temp	: 6500K
Fitting	: E27	Beam Angle	: 180°
Voltase	: 220-240V (50/60Hz)	Faktor Daya	: ≥0,9
CRI	: >70	Bahan Produk	: PP

- Lumen 80lm / Watt.
 - Umur lampu hingga 8.000 Jam.
 - Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 170 - 240V.
 - Cahaya langsung hidup secara maksimal.
 - Hemat biaya pemeliharaan.

SEHAT




TIPE	WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5	4W	265	88	45
10	5W	450	100	50
15	8W	630	118	60
20	9W	790	132	70
30	10W	840	148	80
40	16W	1.250	175	100

Umur Lampu	: Hingga 8.000 Jam	Color Temp	: 6500K
Fitting	: E27	Beam Angle	: 180°
Voltase	: 220-240V (50/60Hz)	Faktor Daya	: ≥0,9
CRI	: >70	Bahan Produk	: PP

- Lumen 80lm / Watt.
 - Umur lampu hingga 8.000 Jam.
 - Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 170 - 240V.
 - Cahaya langsung hidup secara maksimal.
 - Hemat biaya pemeliharaan.

JUPITER



Dilengkapi Tombol ON/OFF

TIPE	PANJANG KABEL	JUMLAH LUBANG
12	1.5 M	2
13		3
14		4
15		5
32	3 M	2
33		3
34		4
35		5
52	5 M	2
53		3
54		4
55		5

Arashi[®]

Surya[®]

mitsui[®]

Hyperlite[®]

Sunsonic[®]

SUNFREE[®]