

PRODUCT CATALOGUE 2026

ELECTRICAL





VIXION LED A BULB

- Lumen 100lm / Watt
- Umur lampu hingga 8.000 Jam
- Dapat beroperasi pada tegangan 150-240V

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5W	520	100	55
7W	680	110	60
9W	950	115	60
12W	1230	130	65
15W	1465	135	70
18W	1850	148	80
24W	2560	173	95

Spesifikasi

- Umur Lampu Hingga 8.000 Jam
- Fitting Lampu E27
- Voltase 220-240V (50Hz)
- CRI >80
- Color Temp 6500K
- Beam Angle 180°
- Faktor Daya ≥0,5
- Bahan Produk PBT + PC + AL

Keunggulan

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.



VEGA LED A BULB

- Lumen 100lm / Watt
- Umur lampu hingga 8.000 Jam
- Dapat beroperasi pada tegangan 150-240V

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5W	520	100	55
7W	680	110	60
9W	950	115	60
12W	1230	130	65
15W	1465	135	70
18W	1850	148	80
24W	2560	173	95

Spesifikasi

- Umur Lampu Hingga 8.000 Jam
- Fitting Lampu E27
- Voltase 220-240V (50Hz)
- CRI >80
- Color Temp 6500K
- Beam Angle 180°
- Faktor Daya ≥0,5
- Bahan Produk PBT + PC + AL

Keunggulan

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.



- Lumen 80lm / Watt
- Umur lampu hingga 8.000 Jam
- Dapat beroperasi pada tegangan 150-240V

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5W	435	100	55
7W	590	110	60
9W	770	115	60
12W	980	130	65
15W	1.180	135	70
18W	1.310	148	80
22W	1.900	173	95

Spesifikasi

- Umur Lampu Hingga 8.000 Jam
- Fitting Lampu E27
- Voltase 220-240V (50Hz)
- CRI >80
- Color Temp 6500K
- Beam Angle 180°
- Faktor Daya ≥0,5
- Bahan Produk PBT + PC + AL

Keunggulan

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.



CAPTIVA

- Lumen 80lm / Watt
- Umur lampu hingga 8.000 Jam
- Dapat beroperasi pada tegangan 200-240V

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
3W	210	80	50
5W	360	100	55
9W	715	105	60
12W	840	118	60
18W	1.400	140	80
24W	1.523	165	95

Spesifikasi

- Umur Lampu Hingga 8.000 Jam
- Fitting Lampu E27
- Voltase 220-240V (50Hz)
- CRI >80
- Color Temp 6500K
- Beam Angle 120°
- Faktor Daya ≥0,9
- Bahan Produk PBT + PC + AL

Keunggulan

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.



MERCURY LED

- Lumen 90lm / Watt
- Umur lampu hingga 10.000 Jam
- Dapat beroperasi pada tegangan 170-240V

TIPE	WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
30	18W	1.700	158	65
45	27W	2.700	215	90
60	36W	3.700	240	105
80	48W	4.500	280	120
120	72W	7.100	330	150

Spesifikasi

- Umur Lampu Hingga 10.000 Jam
- Fitting Lampu E27
- Voltase 220-240V (50/60Hz)
- CRI >80
- Color Temp 6500K
- Beam Angle 180°
- Faktor Daya ≥0,5
- Bahan Produk PBT + PC + AL

Keunggulan

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.



VEGA LED T BULB

- Lumen 100lm / Watt
- Umur lampu hingga 25.000 Jam
- Dapat beroperasi pada tegangan 150-240V

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
6W	570	95	50
9W	865	115	60
14W	1485	122	70
18W	2060	140	80
28W	2885	165	100
36W	3660	180	115
42W	4575	200	124
50W	5365	223	133

Spesifikasi

- Umur Lampu Hingga 25.000 Jam
- Fitting Lampu E27
- Voltase 220-240V (50Hz)
- CRI >80
- Color Temp 6500K
- Beam Angle 150°
- Faktor Daya ≥0,5
- Bahan Produk PBT + PP + AL

Keunggulan

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.



VIXION LED T BULB

- Lumen 100lm / Watt
- Umur lampu hingga 25.000 Jam
- Dapat beroperasi pada tegangan 150-240V

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
6W	570	95	50
9W	865	115	60
14W	1485	122	70
18W	2060	140	80
28W	2885	165	100
36W	3660	180	115
42W	4575	200	124
50W	5365	223	133

Spesifikasi

- Umur Lampu Hingga 25.000 Jam
- Fitting Lampu E27
- Voltase 220-240V (50Hz)
- CRI >80
- Color Temp 6500K
- Beam Angle 150°
- Faktor Daya ≥0,5
- Bahan Produk PBT + PP + AL

Keunggulan

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.



NEW CAPSULE LED

- Lumen 95lm / Watt
- Umur lampu hingga 8.000 Jam
- Dapat beroperasi pada tegangan 150-240V

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
6W	440	95	50
9W	830	115	60
14W	1.280	122	70
18W	1.800	140	80
28W	2.600	165	100
36W	3.800	180	115
42W	4.280	200	124
50W	5.200	223	133

Spesifikasi

- Umur Lampu Hingga 8.000 Jam
- Fitting Lampu E27
- Voltase 220-240V (50Hz)
- CRI >80
- Color Temp 6500K
- Beam Angle 150°
- Faktor Daya ≥0,5
- Bahan Produk PBT + PP + AL

Keunggulan

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.



- Lumen 90lm / Watt
- Umur lampu hingga 10.000 Jam
- Dapat beroperasi pada tegangan 170-240V

TIPE	WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
7	6W	420	100	32
12	9W	640	115	37
15	12W	905	132	42
18	15W	1.150	145	50

Spesifikasi

- Umur Lampu Hingga 10.000 Jam
- Fitting Lampu E27
- Voltase 220-240V (50Hz)
- CRI >80
- Color Temp 6500K
- Beam Angle 120°
- Faktor Daya ≥0,9
- Bahan Produk PBT + PC

Keunggulan

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.



- Lumen 90lm / Watt
- Umur lampu hingga 8.000 Jam
- Dapat beroperasi pada tegangan 150-240V



NEW LED BUAH NAGA

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
9W	845	117	60

Spesifikasi

- Umur Lampu Hingga 8.000 Jam
- Fitting Lampu E27
- Voltase 220-240V (50/60Hz)
- CRI >80
- IP 54
- Color Temp 2700K
- Beam Angle 180°
- Faktor Daya ≥0,5
- Bahan Produk PBT + PC + AL

Keunggulan

- Solusi pencahayaan untuk budidaya buah naga.
- Mempercepat hasil panen hingga 80%.
- Meningkatkan produktivitas buah dari 1 kali setahun menjadi setiap bulan atau meningkatkan 10 kali.
- IP54 yang tahan terhadap guyuran air hujan, cocok untuk penggunaan didalam atau diluar ruangan.
- Dapat beroperasi pada tegangan 150-240V.
- Housing dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.
- Frosted cover dari bahan PC (Polycarbonate) yang tahan terhadap benturan.
- Cahaya kuning (Warm White) lampu yang menyerupai sinar matahari membantu mempercepat proses perkembangan bunga dan pertumbuhan buah naga di malam hari.



NEW SDC CLEAR

- Umur lampu hingga 10.000 Jam
- Beroperasi pada tegangan DC 12V

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
3W	260	82	51
5W	600	91	62
9W	750	115	78
12W	1100	140	91

Spesifikasi

- Umur Lampu Hingga 10.000 Jam
- Panjang Kabel 1.2 Meter
- Voltase DC 12V
- CRI >70
- Color Temp 6500K
- Beam Angle 180°
- Bahan Produk PP

Keunggulan

- Lampu LED DC 12V.
- Cahaya hidup secara maksimal.
- Desain elegan dengan Clear Cover.
- Ramah lingkungan, tidak mengandung merkuri / tanpa radiasi

Surya®

LED BULB AC/DC



NEW MAGIC

- Umur lampu hingga 8.000 Jam
- Dapat beroperasi pada tegangan 150-240V

WATT	LUMEN	KAPASITAS BATERAI (mAh)	LAMA PENERANGAN DC (Jam)	TINGGI (mm)	DIAMETER (mm)
9W	830	1.800	5	135.8	66.6
12W	980	2.000	5	147.1	76.3
18W	1.470	2.400	5	160.9	85.2

Spesifikasi

- Umur Lampu Hingga 8.000 Jam
- Fitting Lampu E27
- Voltase 220-240V (50/60Hz)
- CRI >80
- Color Temp 6500K
- Beam Angle 180°
- Faktor Daya ≥0,5
- Bahan Produk PBT + PC + AL

Keunggulan

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Dapat dicas dan dilengkapi proteksi kelebihan dan kekurangan cas.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.
- Ramah lingkungan, tidak mengandung merkuri / tanpa radias.



- Hingga 70lm / Watt
- Umur lampu hingga 10.000 Jam
- Dapat beroperasi pada tegangan 150-240V

DECOLED III IBR

WATT	LUMEN	PRODUCT DIMENSION (mm)	CUTTING HOLE (mm)	EQUAL TO DOWNLIGHT
3W	200	Ø90 x 28	Ø75	2.5"
5W	358	Ø90 x 28	Ø75	2.5"
9W	633	Ø118 x 28	Ø90	3.5"
12W	840	Ø145 x 28	Ø115	4"
15W	1050	Ø165 x 28	Ø135	5"
18W	1.288	Ø183 x 28	Ø155	6"

Spesifikasi

- Umur Lampu Hingga 10.000 Jam
- Voltase AC 220-240V (50/60Hz)
- CRI ≥70
- Color Temp 6500K
- Beam Angle 120°
- Faktor Daya ≥0,5
- Bahan Produk ABS + PS

Keunggulan

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.



DECOLED III OBR

- Umur lampu hingga 10.000 Jam
- Dapat beroperasi pada tegangan 150-240V


WATT	LUMEN	PRODUCT DIMENSION (mm)	EQUAL TO DOWNLIGHT
10W	633	Ø118 x 28	3.5"
24W	1.672	Ø220 x 28	8"

Spesifikasi

- Umur Lampu Hingga 10.000 Jam
- Voltase AC 220-240V (50/60Hz)
- CRI ≥70
- Color Temp 6500K
- Beam Angle 120°
- Faktor Daya ≥0,5
- Bahan Produk ABS + PS

Keunggulan

- Model lampu yang ringan dan elegan.
- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.



SLS 2835 AC 220V

TIPE LED	WATT / METER	LUMEN / METER	JUMLAH LED / METER	LEBAR PCB (mm)	CUTTABLE / METER	PANJANG / ROLL
SMD 2835	5W	140-200	36 LED	7mm	1	100 M
SMD 2835	6W	180-240	52 LED	7mm	1	100 M
SMD 2835	7W	450-550	120 LED	7mm	1	100 M

Spesifikasi

- **Voltase** AC 220
- **CRI** >70
- **Beam Angle** 120°
- **Bahan PCB** AL
- **Bahan Produk** PVC
- **Color Temp** 3000K, 6000K, Blue

Keunggulan

- Untuk pemakaian pada interior ruangan, hiasan tulisan di kafe, kabinet dapur, tangga, lemari, dll.




LED Striplight AC 220V Accessories

Type	:	SLS Power Cord 2835 7mm AC 220V (4A) + End Cap
Voltase	:	AC 220V
Max. Current	:	4A
Max. Load	:	500W
Max. Length	:	100M
IP	:	IP65

Surya®

T8 LED TUBE



TL8 TUBE DOUBLE END

WATT	LUMEN	PRODUCT DIMENSION (mm)
9W	800	Ø28 x 600mm
18W	1.600	Ø28 x 1.200mm

Spesifikasi

- **Umur Lampu** Hingga 8.000 Jam
- **Voltase** 220-240V (50/60Hz)
- **CRI** >70
- **Color Temp** 6500K
- **Beam Angle** 310°
- **Faktor Daya** ≥0,5
- **Bahan Produk** PC Alloy + Glass

Keunggulan

- Umur lampu hingga 8.000 Jam.
- Model lampu yang ringan dan elegan.
- Dapat beroperasi pada tegangan 170-240V.

SHL L3501N

12.6 x 11.7 x 24 cm



PACKING : 24 Pcs (Giftbox)
LED : 36 LED
SPEC : Lead Acid Battery 4V
 4000 mAh, Dimmer, Auto On,
 OC Protection, AC Cable.



SHL L3507N

12.6 x 11.8 x 25.4 cm



PACKING : 24 Pcs (Giftbox)
LED : 40 SMD LED
SPEC : Lead Acid Battery 4V
 4000 mAh, Dimmer, Auto On,
 OC Protection, AC Cable,
 Support 3 Pcs AA Battery.



SHL 3601

12.4 x 10.7 x 24 cm




PACKING : 30 Pcs (Giftbox)
LED : 36 SMD LED
SPEC : Lead Acid Battery 4V
 1600 mAh, Dimmer, Auto On,
 AC Cable, Support DC 12V.



SHL L3903 FROSTED

12.5 x 11.5 x 23.8 cm



PACKING : 24 Pcs (Giftbox)
LED : 40 SMD LED
SPEC : Lead Acid Battery 4V
 2000 mAh, Dimmer, Auto On,
 OC Protection, AC Cable,
 Frosted Cover.

SHL L3903+

12.6 x 11.6 x 24 cm



PACKING : 24 Pcs (Giftbox)
LED : 40 SMD LED
SPEC : Lead Acid Battery 4V
 4000 mAh, Dimmer, Auto On,
 OC Protection, AC Cable.

SHL L3904 FROSTED

12 x 11.5 x 25.5 cm



PACKING : 24 Pcs (Giftbox)
LED : 40 SMD LED
SPEC : Lead Acid Battery 4V
 2000 mAh, Dimmer, Auto On,
 OC Protection, AC Cable,
 Support 3 Pcs AA Battery.



SHL L4003 FROSTED

Ø12.7 x 18.4 cm



PACKING : 40 Pcs (Giftbox)
LED : 40 SMD LED
SPEC : 3Pcs Lithium 3.7V
 4500 mAh, Dimmer,
 OC & OD Protection,
 Micro USB Cable.

SHL 6013 + USB

14 x 7 x 27.3 cm



PACKING : 20 Pcs (Giftbox)
LED : 30 + 30 SMD LED
SPEC : Lead Acid Battery 6V
 1600 mAh, PowerBank,
 Auto On, OC Protection,
 AC Cable, Support DC 12V.

SQL L1051

8.5 x 5 x 50 cm



PACKING : 10 Pcs (Giftbox)
LED : 105 SMD LED
SPEC : Lead Acid Battery 4V
 6000 mAh, Auto On,
 AC Cable, OC Protection.



SQL 18L FROSTED

5.2 x 4.9 x 25.2 cm



PACKING : 40 Pcs (Giftbox)
LED : 18 SMD LED
SPEC : Lead Acid Battery 4V
 1600 mAh, Dimmer, Auto On,
 AC Cable, Frosted Cover.

SQL L1830

5.7 x 4.5 x 13.1 cm



PACKING : 80 Pcs (Giftbox)
LED : 18 SMD LED
SPEC : Lead Acid Battery 4V
 1500 mAh, AC Cable,
 Frosted Cover.

SQL L2207

5.5 x 4.5 x 13 cm



PACKING : 80 Pcs (Giftbox)
LED : 14 + 8 SMD LED
SPEC : Lead Acid Battery 4V
 1200 mAh, Frosted Cover,
 Support Micro USB & DC 6V.

SQL L3001

5.8 x 4.5 x 17.9 cm



PACKING : 60 Pcs (Giftbox)
LED : 30 SMD LED
SPEC : Lead Acid Battery 4V
 2000 mAh, AC Cable,
 Frosted Cover.

SQL L4301N

7.4 x 5.5 x 22.1 cm



PACKING : 40 Pcs (Giftbox)
LED : SUPER LED 0.5W +
 36 SMD LED
SPEC : Lead Acid Battery 4V
 2000 mAh, Auto On,
 AC Cable.

SQL L5601

9.7 x 6.7 x 26.1 cm



PACKING : 30 Pcs (Giftbox)
LED : 56 SMD LED
SPEC : 2 Pcs Lead Acid
 Battery 4V 4000 mAh,
 Auto On, AC Cable.

LED HANDY TORCH

SHT L3W 10LED


Ø7.9 cm 15.3 x 8 x 9.5 cm



PACKING : 60 Pcs (Giftbox)
LED : 3W + 10 SMD LED
SPEC : Lead Acid Battery 4V
 1000 mAh, AC Cable.

SHT L8W 20LED


Ø11.5 cm 20.2 x 11.5 x 12.5 cm



PACKING : 30 Pcs (Giftbox)
LED : 8W SUPER LED +
 20 SMD LED
SPEC : Lead Acid Battery 4V
 2000 mAh, Built In
 Cable.

SHT L10W 30LED


Ø11 cm 22.6 x 11.3 x 14.1 cm



PACKING : 20 Pcs (Giftbox)
LED : 10W SUPER LED +
 30 SMD LED
SPEC : Lead Acid Battery 4V
 2400 mAh, AC Cable,
 OC OD Protection,
 Frosted Cover.

SHT L10W 27LED


Ø7.8 cm 20.5 x 9.8 x 12.7 cm



PACKING : 36 Pcs (Giftbox)
LED : 10W SUPER LED + 27 SMD LED
SPEC : Lead Acid Battery 4V 1800 mAh, AC Cable, OC OD Protection.

SHT L20W 27LED

Ø9.7 cm 23.2 x 11.2 x 14.8 cm



PACKING : 24 Pcs (Giftbox)
LED : 20W SUPER LED + 27 SMD LED
SPEC : Lead Acid Battery 4V 2500 mAh, Built In Cable, OC OD Protection.

SHT L30W 28LED

Ø11 cm 25.5 x 12.3 x 15.4 cm



PACKING : 24 Pcs (Giftbox)
LED : 30W SUPER LED + 28 SMD LED
SPEC : Lead Acid Battery 4V 4000 mAh, Built In Cable, OC OD Protection.

SHT L15W 12LED

Ø11.5 cm 19.7 x 11.5 x 14.4 cm



PACKING : 30 Pcs (Giftbox)
LED : 15W SUPER LED + 12 SMD LED
SPEC : Lead Acid Battery 4V 2000 mAh, Built In Cable, SOS.

SHT L15W 27LED

Ø9.7 cm 20.2 x 10.8 x 13.8 cm



PACKING : 30 Pcs (Giftbox)
LED : 15W SUPER LED + 27 SMD LED
SPEC : Lead Acid Battery 4V 3600 mAh, AC Cable, OC OD Protection.

SHT 20W 20LED

Ø12.3 cm 21.5 x 12.3 x 14.3 cm



PACKING : 16 Pcs (Giftbox)
LED : 20W SUPER LED + 20 SMD LED
SPEC : Lead Acid Battery 4V 2000 mAh, AC Cable Frosted Cover, OC OD Protection.

SHT L22W 20LED

Ø12.9 cm 23.2 x 12.9 x 15.7 cm



PACKING : 20 Pcs (Giftbox)
LED : 22W SUPER LED + 20 SMD LED
SPEC : Lead Acid Battery 4V 4000 mAh, Built In Cable, Frosted Cover.

SHT 30W 20LED

Ø13.5 cm 23 x 13.5 x 18 cm



PACKING : 16 Pcs (Giftbox)
LED : 30W SUPER LED + 20 SMD LED
SPEC : Lead Acid Battery 4V 4000 mAh, AC Cable, OC OD Protection, Frosted Cover.

SHT 40W 15LED


Ø14.7cm 24.6 x 14.7 x 16.1 cm



PACKING : 8 Pcs (Giftbox)
LED : 40W SUPER LED + 15 SMD LED
SPEC : Lead Acid Battery 4V 6000 mAh, AC Cable, SOS, PowerBank, OC OD Protection.

SHT L45W 18LED


Ø8.8 cm 21.6 x 10.8 x 14.7 cm



PACKING : 30 Pcs (Giftbox)
LED : 45W WHITE LASER + 18 SMD LED
SPEC : Lithium Battery 3.7V 6000 mAh, USB Type C, OC OD Protection.

SHT L55W 18LED


Ø9.7 cm 24.3 x 12 x 16.5 cm



PACKING : 30 Pcs (Giftbox)
LED : 55W WHITE LASER + 18 SMD LED
SPEC : Lithium Battery 3.7V 8000 mAh, USB Type C, OC OD Protection.

SHT L75W 18LED

Ø11 cm 26 x 13.8 x 17.4 cm



PACKING : 16 Pcs (Giftbox)
LED : 75W WHITE LASER + 18 SMD LED
SPEC : Lithium Battery 3.7V 12000 mAh, USB Type C, OC OD Protection.

SYT L015


Ø4.5 x 19.5 cm



PACKING : 120 Pcs (Giftbox)
LED : 0.5W SuperFlux LED + 4 SMD LED
SPEC : Lead Acid Battery 4V 600 mAh,
 Built In Plug.

SYT L017

Ø3 x 15 cm



PACKING : 180 Pcs (Giftbox)
LED : 0.5W SUPER LED
SPEC : Lithium Battery 3.7V 1200 mAh,
 Micro Cable.

SYT L101

Ø2.8 cm 13 x 5.5 cm



PACKING : 80 Pcs (Giftbox)
LED : 1W SUPER LED + 10 SMD LED
SPEC : Lead Acid Battery 4V 900 mAh,
 Frosted Cover, AC Cable,

SYT L103

Ø3 cm 14.5 x 5.7 cm



PACKING : 80 Pcs (Giftbox)
LED : 1W SUPER LED + 20 SMD LED
SPEC : Lead Acid Battery 4V 900 mAh,
 Frosted Cover, AC Cable.

SYT L105

Ø2.5 cm 12 x 2.8 x 4 cm



PACKING : 180 Pcs (Blister)
LED : 1W SUPER LED + 12 SMD LED
SPEC : Lithium Battery 3.7V 1500 mAh, Frosted Cover,
 OC Protection, Dimmer, Micro USB Cable.

SYT 2W 2COB


Ø5 x 18.5 cm



PACKING : 100 Pcs (Blister)
LED : 2W SUPER LED + 2W COB LED
SPEC : Lead Acid Battery 4V 400 mAh,
 Built In Plug.

SYT L2W 6LED

Ø5.6 x 15.9 cm



PACKING : 120 Pcs (Blister)
LED : 2W SUPER LED + 6 SMD LED
SPEC : Lead Acid Battery 4V 600 mAh,
 Built In Plug.

SYT L3W 3COB

Ø5.4 x 17.4 cm



PACKING : 80 Pcs (Blister)
LED : 3W SUPER LED + 3W COB LED
SPEC : Lead Acid Battery 4V 1200 mAh,
 Built In Plug.

SYT 4W 2COB


Ø6.5 x 20 cm



PACKING : 50 Pcs (Blister)
LED : 4W SUPER LED + 2W COB LED
SPEC : Lead Acid Battery 4V 900 mAh,
 Built In Plug.

SYT L4W 3COB


Ø6.2 x 18.7 cm



PACKING : 120 Pcs (Blister)
LED : 4W SUPER LED + 3W COB LED
SPEC : Lead Acid Battery 4V 900 mAh,
 Built In Plug.

SYT L506Z

Ø1.9 cm Ø2.7 x 13.4 cm



3 Pilihan Warna
 (Ungu muda, Biru muda, Hitam)



PACKING : 180 Pcs (Blister)
LED : 5W + 8 SMD LED
SPEC : Lithium 14500 Battery 3.7V 1200 mAh,
 USB Type C, Zoomable.

SYT L018Z

Ø2.5 x 9 cm



PACKING : 180 Pcs (Blister)
LED : 10W WHITE LASER LED
SPEC : Lithium 18650 Battery 3.7V 1200 mAh,
 USB Type C, Zoomable.

SYT L019Z


Ø2.8 x 11 cm



PACKING : 180 Pcs (Blister)
LED : 10W WHITE LASER LED
SPEC : Lithium 18650 Battery 3.7V
1.200 mAh, USB Type C, Zoomable.

SYT L9024Z

Ø5.9 32.5 x 8 x 7.6 cm



PACKING : 20 Pcs (Giftbox)
LED : 90W WHITE LASER LED + 24 SMD LED
SPEC : Lithium 18650 Battery 3.7V
12.000 mAh, USB Type C, Zoomable.

SYH L053A

Ø6.9 cm 10 x 8 x 7.4 cm



PACKING : 60 Pcs (Giftbox)
LED : 5W
SPEC : Lead Acid Battery 4V
 800 mAh, Adaptor
 Type C.

SYH L083A


Ø8.5 cm 10.7 x 9 x 8.5 cm



PACKING : 60 Pcs (Giftbox)
LED : 8W
SPEC : Lead Acid Battery 4V
 1200 mAh, Adaptor
 Type C.

SYH L075L

Ø5 cm 7.5 x 7.1 x 5.5 cm



PACKING : 90 Pcs (Plastic Box)
LED : 7W + 3W LED Bulb
SPEC : Lithium Battery 3.7V
 1800 mAh, Adaptor,
 OC OD Protection.

SYH L105B / L106B

Ø5 cm 7.3 x 6.9 x 5.5 cm



BIMA

(WHITE / YELLOW)

PACKING : 100 Pcs (Plastic Box)
LED : 10W
SPEC : Lithium Battery 3.7V
 1800 mAh, Adaptor,
 OC OD Protection.

SYH L105C

Ø1.8 cm 6.3 x 4 x 4.2 cm



dengan fungsi

SENSOR GERAKAN

PACKING : 100 Pcs (Giftbox)
LED : 10W
SPEC : Lithium Polymer Battery
 3.7V 1200 mAh, USB Cable,
 Motion Sensor, SOS Function,
 Red Light SOS.

SYH L125A

Ø5 cm 7.3 x 7.5 x 5.5 cm



PACKING : 100 Pcs (Plastic Box)
LED : 12W
SPEC : Lithium Battery 3.7V
 1800 mAh, Adaptor,
 Additional Yellow Cover,
 OC OD Protection.

SYH LI25B

Ø4.5 cm 8.4 x 8 x 5 cm



PACKING : 90 Pcs (Plastic Box)
LED : 12W SUPER LED
SPEC : Lithium Battery 3.7V 1800 mAh, Adaptor, Additional Yellow Cover, OC OD Protection, Dimmer.

SYH LI55C

Ø5 cm 8 x 7.2 x 5.1 cm



PACKING : 100 Pcs (Plastic Box)
LED : 15W SUPER LED
SPEC : Lithium Battery 3.7V 2000 mAh, Adaptor, OC OD Protection, IP65 Rainproof.

SYH LI55F

Ø4.6 cm 8.4 x 8 x 5.4 cm



PACKING : 90 Pcs (Plastic Box)
LED : 15W SUPER LED
SPEC : Lithium 18650 Battery 3.7V 3000 mAh, Adaptor, Battery Removable, OC Protection.

SYH LI55R / LI56R

Ø8.3 cm 10 x 9.3 x 8.4 cm



(WHITE / YELLOW)

PACKING : 40 Pcs (Plastic Box)
LED : 15W
SPEC : 2 Pcs Lithium Battery 3.7V 3600 mAh, Dimmer, Adaptor, SOS, BLITZ, OC OD Protection.

SYH L205B


Ø5.2 cm 7.6 x 5.6 x 7.6 cm



PACKING : 90 Pcs (Plastic Box)
LED : 20W WHITE LASER LED
SPEC : Lithium 18650 Battery 3.7V 3000 mAh, BLITZ, USB Type C, Dimmer, OC OD Protection.

SYH L255R / L256R

Ø9.3 cm 9.5 x 9.5 x 10.5 cm



(WHITE / YELLOW)

PACKING : 40 Pcs (Plastic Box)
LED : 25W
SPEC : 2 Pcs Lithium Battery 3.7V 4200 mAh, Dimmer, Adaptor, SOS, BLITZ, OC OD Protection.

SYH L30W-1 (BULB)

Ø7.5 cm 9.3 x 9.3 x 8.5 cm




(WHITE)

PACKING : 40 Pcs (Plastic Box)
LED : 30W + 3W LED BULB
SPEC : Lithium Battery 3.7V 4200 mAh, Adaptor, Dimmer, SOS, BLITZ, OC OD Protection.

SYH L305S / L306S

Ø9.3 cm 9.5 x 9.5 x 10.5 cm



(WHITE / YELLOW)

PACKING : 40 Pcs (Plastic Box)
LED : 30W + 3W LED BULB
SPEC : 2 Pcs Lithium Battery 3.7V 4200 mAh, Dimmer, Adaptor, SOS, BLITZ, OC OD Protection.

SYH L335R

Ø7.9 cm 9 x 8.4 x 8.4 cm



ASTRO

PACKING : 40 Pcs (Plastic Box)
LED : 33W CREE LED
SPEC : 2 Pcs Lithium Battery 3.7V 4800 mAh, Dimmer, Waterproof, SOS, BLITZ, OC OD Protection.

SYH L355R

Ø7.9 cm 9 x 8.4 x 8.4 cm



PACKING : 40 Pcs (Plastic Box)
LED : 35W CREE LED
SPEC : 2 Pcs Lithium Battery 3.7V 4800 mAh, Dimmer, Adaptor, SOS, BLITZ, OC OD Protection.

SYH L455E

Ø7.5 cm 10 x 8.5 x 8.5 cm



PACKING : 40 Pcs (Plastic Box)
LED : 45W Electronic Spotlight LED
SPEC : 2 Pcs Lithium Battery 3.7V 5000 mAh, Dimmer, Adaptor, Fast Charging, OC OD Protection.

SYH L505R / L506R

Ø9.3 cm 10 x 10.2 x 10 cm



(WHITE / YELLOW)

PACKING : 40 Pcs (Plastic Box)
LED : 50W SUPER LED
SPEC : 3 Pcs Lithium Battery 3.7V 6000 mAh, Adaptor, Waterproof, BLITZ, Fast Charging, OC OD Protection.

SYH L555R


Ø9.3 cm 10 x 10.2 x 10 cm



PACKING : 40 Pcs (Plastic Box)
LED : 55W SUPER LED
SPEC : 3 Pcs Lithium Battery
 3.7V 6000 mAh, Dimmer,
 Adaptor, SOS, BLITZ,
 Fast Charging,
 OC OD Protection.

SYH L185A


Ø4.6 cm 6.8 x 6.2 x 6.7 cm



PACKING : 90 Pcs (Plastic Box)
LED : 18W WHITE LASER LED
SPEC : Lithium Polymer Battery
 3.7V 6000 mAh, BLITZ,
 USB Type C, Dimmer,
 OC OD Protection.

SYH L255B


Ø5.9 cm 7.2 x 6.2 x 7 cm



PACKING : 90 Pcs (Plastic Box)
LED : 25W WHITE LASER LED
SPEC : Lithium Polymer Battery
 3.7V 6000 mAh, BLITZ,
 USB Type C, Dimmer,
 OC OD Protection.

SYH L205A / L206A

Ø7.9 cm 10 x 8.4 x 8 cm



(WHITE / YELLOW)

PACKING : 40 Pcs (Plastic Box)
LED : 20W WHITE LASER LED
SPEC : LI-PO Battery 3.7V
 8000 mAh, Dimmer, SOS,
 Battery Indicator, Adaptor
 + Micro USB Cable, OC OD
 Protection.

SYH L205R

Ø4.6 cm 8.8 x 8.2 x 5.5 cm



(WHITE)

PACKING : 100 Pcs (Plastic Box)
LED : 20W WHITE LASER LED
SPEC : Lithium 18650 Battery
 3.7V 2500 mAh, Dimmer,
 Adaptor, Fast Charging,
 BLITZ, OC OD Protection,
 Waterproof 30M, IP68.

SYH L305R

Ø5.7 cm 6.6 x 9.5 x 8.5 cm



(WHITE)

PACKING : 80 Pcs (Plastic Box)
LED : 30W SUPER HIGH
 POWER LED
SPEC : Lithium Battery 3.7V
 4200 mAh, Fast Charging,
 OC OD Protection, BLITZ,
 Waterproof 30M, Adaptor,
 Battery Indicator, IP68.

SYH L525R / L526R

Ø7.8 cm 8.8 x 9.1 x 9.1 cm



(WHITE / YELLOW)

PACKING : 40 Pcs (Plastic Box)
LED : 52W SUPER HIGH POWER LED
SPEC : 2 Pcs Lithium Battery 3.7V 6000 mAh, Adaptor, BLITZ, Dimmer, Battery Indicator, Fast Charging, Tripod Hole, Waterproof 30M, IP68, Swimming Goggles, OC OD Protection.

SYH L705R / L706R

Ø9.7 cm 10.5 x 10.9 x 10 cm



(WHITE / YELLOW)

PACKING : 40 Pcs (Plastic Box)
LED : 70W CREE LED EXTREME HIGH POWER
SPEC : 3 Pcs Lithium Battery 3.7V 10.000 mAh, Dimmer, IP68, Adaptor, Fast Charging, Tripod Hole, Swimming Goggles, Battery Indicator, BLITZ, Waterproof 30M, OC OD Protection.

SYH L155Z

Ø2.7 cm 7 x 6.6 x 3.4 cm



PACKING : 120 Pcs (Plastic Box)
LED : 15W Laser LED + 8 SMD LED
SPEC : Lithium 14500 3.7V 1800 mAh, USB Type C, BLITZ, Dimmer, Zoomable, Fast Charging, 6 SMD LED, 2 SMD LED (Strobo), OC & DC Protection.

SYH T605Z

Ø2.7 cm 7.3 x 7.4 x 4.5 cm



PACKING : 100 Pcs (Plastic Box)
LED : 60W Laser LED
SPEC : Lithium 18650 4.2V 4000 mAh, USB Type C, OC & DC Protection, BLITZ, Fast Charging, Zoomable, IP20.

SYH L625Z

Ø2.8 cm 8.2 x 8 x 4.1 cm



PACKING : 90 Pcs (Plastic Box)
LED : 62W Laser LED + 10 SMD LED
SPEC : Lithium 18650 3.7V 3000 mAh, BLITZ, USB Type C + Adaptor, OC & DC Protection, Dimmer, Fast Charging, Zoomable, 8 SMD LED, 2 SMD LED (Strobo).
PRODUCT COLOR : Red & Green.

SYH L685Z

Ø3.7 cm 9.9 x 8.2 x 6.2 cm



PACKING : 60 Pcs (Plastic Box)
LED : 68W Laser LED + 12 SMD LED
SPEC : 2 Pcs Lithium 18650 3.7V 6000 mAh, OC & DC Protection, Fast Charging, Dimmer, BLITZ, Zoomable, USB Type C + Adaptor, 10 SMD LED, 2 SMD LED (Strobo).
PRODUCT COLOR : Red & Green.

SYH L725Z

Ø2.6 cm 8.2 x 8.1 x 4.3 cm



PACKING : 90 Pcs (Plastic Box)
LED : 72W Laser LED + 10 SMD LED
SPEC : 2 Pcs Lithium 18650 3.7V 4000 mAh, Zoomable, USB Type C + Adaptor, BLITZ, Fast Charging, Dimmer, OD & DC Protection, 8 SMD LED, 2 SMD LED (Strobo).
PRODUCT COLOR : Red & Green.

SYH T755Z

Ø3.7 cm 7.2 x 9 x 5.5 cm



PACKING : 100 Pcs (Plastic Box)
LED : 75W Laser LED
SPEC : Lithium 18650 4.2V 6000 mAh, USB Type C, OC & DC Protection, BLITZ, Fast Charging, Zoomable, IP20.

SYH L855Z

Ø3.7 cm 10 x 8.2 x 6.1 cm



PACKING : 60 Pcs (Plastic Box)
LED : 85W Laser LED + 12 SMD LED
SPEC : 2 Pcs Lithium 18650 3.7V 8000 mAh, BLITZ, Zoomable, USB Type C + Adaptor, OC & DC Protection, Dimmer, Fast Charging, 10 SMD LED, 2 SMD LED (Strobo).
PRODUCT COLOR : Red & Green.

SYH L655ZS

Ø4.5 cm 7.3 x 6.2 x 5.5 cm



PACKING : 90 Pcs (Plastic Box)
LED : 65W Laser LED
SPEC : Lithium Polymer 4.2V 6000 mAh, USB Type C, OC & DC Protection, BLITZ, Fast Charging, Zoomable, Motion Sensor.

SYH L705ZS

Ø3.2 cm 9.9 x 5.4 x 5.3 cm



PACKING : 90 Pcs (Plastic Box)
LED : 70W Laser LED
SPEC : Lithium Polymer 4.2V 6000 mAh, USB Type C, OC & DC Protection, BLITZ, Fast Charging, Zoomable, Motion Sensor.

PROTON



WATT	LUMEN	DIMENSI (mm)	STANDAR PROTEKSI	REKOMENDASI TIANG
50W	4.000	402 x 126.5 x 60	IP65	1.5"
100W	8.000	462 x 141.5 x 56		
150W	12.000	532 x 171 x 75		

Tersedia warna Cool Daylight



KOBRA



WATT	LUMEN	DIMENSI (mm)	STANDAR PROTEKSI	REKOMENDASI TIANG
50W	4.000	435 x 180 x 60	IP65	1.5"
100W	8.000	600 x 210 x 72		
150W	12.000	680 x 230 x 70		

Tersedia warna Cool Daylight



BROADWAY



SOLAR + SENSOR LED STREETLIGHT

Dilengkapi :



Sensor Gerak

- Saat sensor mendeteksi tidak ada gerakan, cahaya otomatis redup menjadi 50%, sehingga baterai bisa bertahan lebih lama.
- Saat sensor mendeteksi ada gerakan, cahaya otomatis terang 100%.



Sensor Cahaya

- Lampu otomatis hidup saat malam atau gelap.
- Lampu otomatis mati saat ada cahaya matahari dan proses pengisian daya baterai langsung.



WATT	LUMEN	DIMENSI (mm)	BATERAI LITHIUM (mAh)	DAYA TAHAN BATERAI	STANDAR PROTEKSI	REKOMENDASI TIANG
60W	3.900	485 x 210 x 70	8.000	± 11 Jam	IP65	1.5"
90W	1.560	626 x 245 x 70	12.000			
120W	8.400	730 x 250 x 60	16.000			

TOLLWAY



WATT	LUMEN	DIMENSI (mm)	STANDAR PROTEKSI	REKOMENDASI TIANG
50W	4.000	490 x 220 x 80	IP65	1.5"
100W	10.000	540 x 250 x 75		
150W	15.000	600 x 260 x 75		

Tersedia warna Cool Daylight



BRIGHTWAY



WATT	LUMEN	DIMENSI (mm)	STANDAR PROTEKSI	REKOMENDASI TIANG
50W	5.500	336 x 130.3 x 52.2	IP65	1.5"
100W	11.000	400.2 x 153.7 x 54.7		
150W	16.500	453.2 x 181 x 59.2		
200W	22.000	504.3 x 181 x 59.2		

Tersedia warna Cool Daylight



NEW FREEWAY

WATT	LUMEN (CDL / WW)	DIMENSI (mm)	STANDAR PROTEKSI
10W	900	83 x 66 x 20	IP65
20W	1.800	100 x 83 x 21	
30W	2.700	128 x 105 x 23	
50W	4.500	142 x 118 x 23	
100W	9.000	195 x 158 x 25	
200W	18.000	250 x 204 x 26	

Tersedia warna Cool Daylight & Warm White



STREETLIGHT

SR 501



LHE Max. 1x45W, E27
315 x 150 x 151 mm

SR 503



70 / 80 / 125W
600 x 300 x 210 mm

SR 504



150 / 250 / 400W
883 x 436 x 316 mm

Arashi®

LED A BULB



BEAT LED A BULB

- Lumen 100lm / Watt
- Umur lampu hingga 8.000 Jam
- Dapat beroperasi pada tegangan 150-240V

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
3W	325	88	50
5W	520	100	55
7W	680	110	60
9W	950	115	60
12W	1230	130	65
15W	1465	135	70
18W	1850	148	80
24W	2560	173	95

Spesifikasi

- Umur Lampu Hingga 8.000 Jam
- Fitting Lampu E27
- Voltase 220-240V (50/60Hz)
- CRI >80
- Color Temp 6500K
- Beam Angle 180°
- Faktor Daya ≥0,5
- Bahan Produk PBT + PC + AL

Keunggulan

- Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 150 – 240V.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.

Arashi®

LED A BULB



BEAT II

- Lumen 80lm / Watt
- Umur lampu hingga 8.000 Jam
- Dapat beroperasi pada tegangan 200-240V

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
3W	245	88	50
5W	450	100	55
7W	580	105	60
9W	725	105	60
12W	990	115	60
15W	1.080	130	70
18W	1.295	140	80

Spesifikasi

- Umur Lampu Hingga 8.000 Jam
- Fitting Lampu E27
- Voltase 220-240V (50/60Hz)
- CRI >80
- Color Temp 6500K
- Beam Angle 180°
- Faktor Daya ≥0,5
- Bahan Produk PBT + PC + AL

Keunggulan

- Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 200 – 240V.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.

Arashi®

LED T BULB



NEW CAPSULE LED

- Lumen 100lm / Watt
- Umur lampu hingga 25.000 Jam
- Dapat beroperasi pada tegangan 150-240V

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
6W	570	95	50
9W	865	115	60
14W	1485	122	70
18W	2060	140	80
28W	2885	165	100
36W	3660	180	115
42W	4575	200	124
50W	5365	223	133

Spesifikasi

- Umur Lampu Hingga 25.000 Jam
- Fitting Lampu E27
- Voltase 220-240V (50/60Hz)
- CRI >80
- Color Temp 6500K
- Beam Angle 150°
- Faktor Daya ≥0,5
- Bahan Produk PBT + PP + AL

Keunggulan

- Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 150 – 240V.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.

ARL 96

SPIDER

Lebar Jaring : 19.7 x 23.2 cm
Dimensi Produk : 22.5 x 56 cm

- 4 LED + 1 LED
- Steker Listrik Tanam
- Pengecasan Terpisah
- Baterai 600 mAh
- 2 Pilihan Warna (Biru, Pink)



ARL 194



Lebar Jaring : 20.5 x 24.8 cm
Dimensi Produk : 22.5 x 56 cm

MODE AUTO

- UV Light
- 3 LED
- Terdapat dudukan untuk fungsi Mosquito Trap
- Pengecasan kabel USB
- Baterai 500 mAh



MSC 073 + 2M CABLE BLACK



- Dilengkapi Tombol ON / OFF
- Panjang Kabel 2 M
- Lampu Indikator
- Tersedia 3 Lubang

MSC 074 + 2M CABLE BLACK



- Dilengkapi Tombol ON / OFF
- Panjang Kabel 2 M
- Lampu Indikator
- Tersedia 4 Lubang

MSC 153 STOP KONTAK SAKLAR 3LB



- Saklar Individual
- Panjang Kabel 1.5 M
- Lampu Indikator
- Tersedia 3 Lubang

MSC 154 STOP KONTAK SAKLAR 4LB



- Saklar Individual
- Panjang Kabel 1.5 M
- Lampu Indikator
- Tersedia 4 Lubang

INSECT KILLER

MIK 02

20W

- LAMPU** : UV LAMP 10W x2
VOLTASE : 220-240V
BAHAN : AL + ABS
DIMENSI : 385 x 80 x 272 mm

40W

- LAMPU** : UV LAMP 20W x2
VOLTASE : 220-240V
BAHAN : AL + ABS
DIMENSI : 643 x 80 x 272 mm



MB 282 GRAND




Steker Saklar Lampu

MB 275 MARS



Steker T Warna

MB 281 MARS



Steker T Warna Saklar

MB 271



Over Steker

MB 261



Steker Arde Bulat

MB 261 PLUTO



Steker Arde Bulat

MB 261



Steker Gepeng

MB 271




Steker T

MB 275



Steker T Warna

MB 281



Steker T Warna Saklar

MB 282



Steker Saklar Lampu

MB 237



Fitting Gantung

MB 216



Fitting Colok Putih

MB 216B



Fitting Colok Hitam

MB 210



Fitting Kombinasi

MB 212



Fitting Tarik

MB 215



Fitting Gantung

MB 207

6.5 cm



Fitting Okta Kecil

MB 208


8.75 cm



Fitting Okta Sedang

MB 209

11 cm



Fitting Okta Besar

MB 224

13.4 cm



Fitting Plafon

MB 257 BL/GY



Fitting Plafon Sedang

MB 258



Fitting Plafon Model Bunga

MB 236



Fitting Gantung

MB 255




Fitting Plafon Besar

MRL 61 SCORPIONS



3 Pilihan Warna
(Biru, Pink, Hijau)



- 1 LED
- 4V 600 mAh
- Kabel Pengecasan AC

Dimensi Jaring : 20.5 x 27.8 cm
Dimensi Produk : 21 x 49 cm

MRL 64 ORION



- 1 LED
- 3.7V 2.500 mAh
- Pengecasan menggunakan kabel Type C

Dimensi Jaring : 23 x 31 cm
Dimensi Produk : 23 x 60 cm

MRL 66 HYDRA



- 1 LED
- 4V 600 mAh
- Kabel Pengecasan AC

Dimensi Jaring : 18 x 21 cm
Dimensi Produk : 20.5 x 46 cm

MRN 76 FLASH



2 Pilihan Warna
(Biru, Merah)



- 1 LED
- 4V 500 mAh
- Kabel Pengecasan AC

Dimensi Jaring : 22 x 26 cm
Dimensi Produk : 22.5 x 52.5 cm

MRN 62 ATHENA



- UV Light
- 4V 600 mAh
- Pengecasan menggunakan kabel USB Type C
- Terdapatudukan untuk fungsi Mosquito Trap

Dimensi Jaring : 19 x 21 cm
Dimensi Produk : 21 x 45 cm

MRN 63 PEGASUS



**2 Pilihan Warna
(Biru, Putih)**



- UV Light
- 3.7V 1200 mAh
- Pengecasan menggunakan kabel USB Type C
- Dapat diputar hingga 180° dan dapat diberdirikan untuk fungsi Mosquito Trap

Dimensi Jaring : 18 x 23 cm
Dimensi Produk : 20 x 49 cm

MRN 65 ZEUS



**2 Pilihan Warna
(Biru, Pink)**



- 4V 600 mAh
- Pengecasan dengan Steker Tanam

Dimensi Jaring : 18 x 23 cm
Dimensi Produk : 20 x 45 cm

Hyperlite®

LED T BULB



- Lumen 90lm / Watt
- Umur lampu hingga 8.000 Jam
- Dapat beroperasi pada tegangan 150-240V

WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5W	345	100	50
7W	665	118	60
10W	925	133	70
14W	1.300	148	80
18W	1.700	175	100
26W	2.300	210	115
32W	2.890	215	125

Spesifikasi

- Umur Lampu Hingga 8.000 Jam
- Fitting Lampu E27
- Voltase 220-240V
- CRI >70
- Color Temp 6500K
- Beam Angle 180°
- Faktor Daya ≥0,5
- Bahan Produk PP

Keunggulan

- Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 150 – 240V.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.

YELLOW



WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5W	345	100	50
7W	665	118	60
10W	925	133	70
14W	1.300	148	80
18W	1.700	175	100
26W	2.300	210	115
32W	2.890	215	125

Keunggulan

- Lumen 90lm / Watt.
- Umur lampu hingga 8.000 Jam.
- Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 150 – 240V.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.

Spesifikasi

- **Umur Lampu** Hingga 8.000 Jam
- **Fitting Lampu** E27
- **Voltase** 220-240V
- **CRI** >70
- **Color Temp** 6500K
- **Beam Angle** 180°
- **Faktor Daya** ≥0,5
- **Bahan Produk** PP

RED



WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5W	345	100	50
7W	665	118	60
10W	925	133	70
14W	1.300	148	80
18W	1.700	175	100
26W	2.300	210	115
32W	2.890	215	125

Keunggulan

- Lumen 90lm / Watt.
- Umur lampu hingga 8.000 Jam.
- Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 150 – 240V.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.

Spesifikasi

- **Umur Lampu** Hingga 8.000 Jam
- **Fitting Lampu** E27
- **Voltase** 220-240V
- **CRI** >70
- **Color Temp** 6500K
- **Beam Angle** 180°
- **Faktor Daya** ≥0,5
- **Bahan Produk** PP



LED T BULB



- Lumen 90lm / Watt
- Umur lampu hingga 10.000 Jam
- Dapat beroperasi pada tegangan 200-240V



PRIMA LED T BULB

TIPE	WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5	5W	425	95	50
10	9W	605	115	60
15	13W	1045	126	70
20	16W	1440	144	80
30	23W	1920	170	100
40	36W	2880	200	115
50	42W	3225	215	125
60	45W	3615	230	135

Spesifikasi

- Umur Lampu Hingga 10.000 Jam
- Fitting Lampu E27
- Voltase 220-240V (50/60Hz)
- CRI >80
- Color Temp 6500K
- Beam Angle 150°
- Faktor Daya ≥0,5
- Bahan Produk PBT + PP + AL

Keunggulan

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.



GARANSI LED T BULB

- Lumen 100lm / Watt
- Umur lampu hingga 10.000 Jam
- Dapat beroperasi pada tegangan 150-240V

TIPE	WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5	5W	380	95	50
10	9W	870	115	60
15	13W	1330	126	70
20	18W	1730	144	80
30	25W	2580	170	100
40	32W	3235	200	115
50	37W	4000	215	125
60	40W	4240	230	135

Spesifikasi

- Umur Lampu Hingga 10.000 Jam
- Fitting Lampu E27
- Voltase 220-240V (50/60Hz)
- CRI >80
- Color Temp 6500K
- Beam Angle 180°
- Faktor Daya ≥0,5
- Bahan Produk PBT + PP + AL

Keunggulan

- Frosted Cover, Tahan terhadap benturan.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.
- Terbuat dari bahan PBT (Polybutylene Terephthalate) tahan panas sampai 150°C.



SATRIA

- Lumen 80lm / Watt
- Umur lampu hingga 8.000 Jam
- Dapat beroperasi pada tegangan 200-240V

TIPE	WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5	4W	296	100	50
10	5W	415	119	60
15	8W	629	133	70
20	9W	774	148	80
30	10W	872	178	100
40	16W	1.284	207	115

Spesifikasi

- Umur Lampu Hingga 8.000 Jam
- Fitting Lampu E27
- Voltase 220-240V
- CRI >70
- Color Temp 6500K
- Beam Angle 180°
- Faktor Daya ≥0,9
- Bahan Produk PP

Keunggulan

- Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 200 – 240V.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.



- Lumen 80lm / Watt
- Umur lampu hingga 8.000 Jam
- Dapat beroperasi pada tegangan 200-240V

TIPE	WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5	4W	296	100	50
10	5W	415	119	60
15	8W	629	133	70
20	9W	774	148	80
30	10W	872	178	100
40	16W	1.284	207	115

Spesifikasi

- Umur Lampu Hingga 8.000 Jam
- Fitting Lampu E27
- Voltase 220-240V
- CRI >70
- Color Temp 6500K
- Beam Angle 180°
- Faktor Daya ≥0,9
- Bahan Produk PP

Keunggulan

- Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 200 – 240V.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.

Sunsonic®

LED T BULB



GESIT

- Lumen 80lm / Watt
- Umur lampu hingga 8.000 Jam
- Dapat beroperasi pada tegangan 200-240V

TIPE	WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5	4W	265	88	45
10	5W	450	100	50
15	8W	630	118	60
20	9W	790	132	70
30	10W	840	148	80
40	16W	1.250	175	100

Spesifikasi

- Umur Lampu Hingga 8.000 Jam
- Fitting Lampu E27
- Voltase 220-240V (50/60Hz)
- CRI >70
- Color Temp 6500K
- Beam Angle 180°
- Faktor Daya ≥0,9
- Bahan Produk PP

Keunggulan

- Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 200 – 240V.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.



LINCAH

TIPE	WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5	4W	265	88	45
10	5W	450	100	50
15	8W	630	118	60
20	9W	790	132	70
30	10W	840	148	80
40	16W	1.250	175	100

Keunggulan

- Lumen 80lm / Watt.
- Umur lampu hingga 8.000 Jam.
- Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 200 – 240V.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.

Spesifikasi

- Umur Lampu Hingga 8.000 Jam
- Fitting Lampu E27
- Voltase 220-240V (50/60Hz)
- CRI >70
- Color Temp 6500K
- Beam Angle 180°
- Faktor Daya ≥0,9
- Bahan Produk PP



SEHAT

TIPE	WATT	LUMEN	TINGGI (mm)	DIAMETER (mm)
5	4W	265	88	45
10	5W	450	100	50
15	8W	630	118	60
20	9W	790	132	70
30	10W	840	148	80
40	16W	1.250	175	100


Keunggulan

- Lumen 80lm / Watt.
- Umur lampu hingga 8.000 Jam.
- Frosted Cover, Tahan terhadap benturan.
- Dapat beroperasi pada voltase 200 – 240V.
- Cahaya hidup secara maksimal.
- Hemat biaya pemeliharaan.

Spesifikasi

- Umur Lampu Hingga 8.000 Jam
- Fitting Lampu E27
- Voltase 220-240V (50/60Hz)
- CRI >70
- Color Temp 6500K
- Beam Angle 180°
- Faktor Daya ≥0,9
- Bahan Produk PP


SATURNUS



Dilengkapi Tombol ON/OFF

TIPE	JUMLAH LUBANG	PANJANG KABEL
33	3	3 M
34	4	
35	5	
53	3	5 M
54	4	
55	5	

JUPITER



Dilengkapi Tombol ON/OFF

TIPE	JUMLAH LUBANG	PANJANG KABEL
12	2	1.5 M
13	3	
14	4	
15	5	
32	2	3 M
33	3	
34	4	
35	5	
52	2	5 M
53	3	
54	4	
55	5	